




HEAT EXCHANGER CC450F TYPE 12 AIR TO AIR FLUSH MOUNT MODEL

Model	Weight (lbs)	Rating @ 20°C ΔT (BTU/hr)	Amps Current Draw at 115 volts AC	Fan size	Dimensions-Inches (HxWxD)
CC450F	9 lbs	1,400	0.4	2x4"	12.5 x 8 x 5.3
Efficiency: 21.0 Watts / °C ΔT based on average internal cabinet temperature					




PRODUCT SPECIFICATIONS

1. UL Listed for TYPE 12 environments
2. CC450F Rated cooling: 420 Watts at 20°C ΔT (21.0 W/°C, mounted to an uninsulated 24" X 24" X 16" Cabinet)
3. Designed for surface mounting on outside of cabinet
4. Housing is aluminum (Standard color). Stainless Steel is available
5. Equipped with mounting gasket to maintain airtight seal
6. Internal 6-ft. Power cord with 3-prong plug is standard for AC powered Units
7. Available with VAC (115 & 230) and VDC (12, 24, & 48) fans. DC version includes junction box, consult website
8. Unit may be mounted vertically (as shown) or horizontally
9. Optional: Inlet air-filter kit available upon request
10. For design, quote, and sizing assistance: call (512) 595-5700

*Subject to change without notice



CC450F Type 12 Air to Air Flush Mount Model



205 s. Edmond Street
Taylor, TX 76574
(512) 595-5700
www.norenthermal.com

CC450F TYPE 12

CCS-PBD-7.2.2-883366-C